HONDA
Power
Equipment

Attachments & Accessories

2007



Recycled Content

SUPPORTING A BETTER ENVIRONMENT...

As an innovator in engine technology, Honda takes its responsibility to the environment seriously. Honda Generators are powered by fuel-efficient 4-stroke engines that don't mix oil and gas, run with low emissions and are exceptionally quiet. At Honda, we're always thinking of better ways to get the job done in harmony with the world we live in.

GENERATORS

Making blackouts a thing of the past, Honda Generators are easy to use, durable and most importantly dependable. Whether you need heavy-duty power on the job site, proven power at the cottage or back up power at home, Honda has a portable Generator to meet your needs. And all Honda Generators are certified to meet or surpass CSA and EPA standards.

A wide variety of accessories are now available for your Honda Generators from remote control starting kits and lifting hooks to various generator covers and wheel kits. Take a look and see which accessories fit your needs...

HONDA
EU1000i
HONDA



06423-ZS9-T30

4 WHEEL KITS

06710-ZB2-010 EM1600X, EM1800X, EB2200X, EM1800XK1, EM2200X, EB2500XK1, EM2500XK1

06710-ZB4-010 EM3500X, EM3500SX, EM3500SXK1, EM5000SX, EM5000SXK1

06710-ZB4-800 EM3500X/SX/SXK1, EM5000SX, EM5000SXK1.

06423-ZS9-T30 EU3000i

06710-899-010 EMS4000, EB4000,EB3000, EMS4500, EM3000

Honda 4 wheel kits include: 4 wheels, 2 axles, and all necessary hardware.

06710-ZB4-800

2 WHEEL KITS

06710-YZA-000AH EB11000 (Standard 06-07)
42710-YZA-000AH EB11000 (Replacement wheel, order 2)
06710-ZB4-800 EM3500X/SX/SXK1, EM5000SX, EM5000SXK1.

It's not always easy or convenient to lift a generator; that's why Honda offers both 2-wheel and 4-wheel kits. All have rubber tires and make moving the generator a breeze. The 2-wheel kits include wheelbarrow-style handlebars.
Honda 2 wheel kits include: handle bars, grips, wheels, axle, legs, and all hardware.

06531-211-E00ZA

HANGER/LIFT KIT

06810-ZB4-800 EM3500X/SX/SXK1, EM5000SX, EM5000SXK1

06531-Z11-E00ZA EM5000IS, EM7000IS (I-PRO SERIES)

06810-Z22-A30ZA EM3800SX, EM5000SXK2, EM6500SXK1 (new series)

A sturdy steel crossbar bolted to the frame makes lifting the generator easy. This kit comes with all the hardware and installs in minutes. This hanger/lift kit is standard on all EB series models.

GENERATORS

EU1000/2000/3000 SILVER COVER

08P57-ZT3-00S (EU1000)
08P57-Z07-00S (EU2000)
08P57-ZS9-00S (EU3000)

EU1000/2000 MARINE COVER

08381-340-023 (EU1000)
08381-Z07-002 (EU2000)

EU1000/2000 SUNBRELLA COVER

08391-340-024 (EU1000)
08391-Z07-003 (EU2000)

EU1000/2000/3000 CAMO COVER

08P57-ZT3-00G (EU1000)
08P57-Z07-00G (EU2000)
08P57-ZS9-00G (EU3000)

Every EU1000 and EU2000 generator cover comes with a handy velcro flap for easy carrying.

PARALLEL CABLES

32660-ZT3-C31CH

Link 2 EU1000 together. Includes ground wire connection. Note: Output is limited by the capacity of the receptacles

32650-892-003
STYLE B

32650-884-005
STYLE A

32650-825-005
STYLE C

DC CHARGING CORDS

32650-884-005 (E300k3, EM300, E400, EM400, EM400K1, ER400, EM500, ***(end style A)***

32650-892-003 (EX350, EX700c, EU1000is, EU2000i, EU3000i, EM3000c, EB3000CKAG, EM500K1, EM600
(end style B 10' long)

32650-825-005 All other models with DC output
(end style C)

If your Honda generator has DC output, use one of these special cords to charge the batteries. All have alligator clips on one end and are 6' or 10' long.

06550-Z22-A30AH

BATTERY TRAYS

08020-ZB410AH EM3500SX, EM3500SXK1, EM5000SX, EM5000SXK1
(Group 51) 31500-SH1-C01 (Old Series generators)

06550-Z22-A30AH EM3800SX, EM5000SXK2, EM65000SXK1 (New Series)
requires (Group 51R Battery) 31500-SR0-C01

06610-ZB4-000ZB

32520-Z22-850AH

REMOTE CONTROL STARTING KITS

06610-ZB4-000ZB EM3500SX/SXK1, EM5000SX/SXK1

06610-Z22-800ZA (Remote Kit w/10m cable) EM3800SX, EM5000SXK2 EM6500SXK1

32380-Z11-810ZA (Remote Kit w/10m cable) EM5000IS, EM7000IS, EU6500IS

32380-Z11-820ZA (Remote Kit w/20m cable) EM5000IS, EM7000IS, EU6500IS

32380-Z11-830ZA (Remote Kit w/30m cable) EM5000IS, EM7000IS, EU6500IS

06610-Z22-800AH (Universal Remote Kit w/15m cable) EM3800SX, EM5000SXK2, EM6500SXK1

REMOTE CONTROL STARTING KIT PARTS

32520-Z22-850AH EM3800SX, EM5000SXK2, EM6500SXK1, EM5000is
EM7000is 50' Extension Cable

31690-893-720 remote control cable EM3500SXK1

HOUR METERS

08174-881-000AH All Honda powered products

When you really want to keep track of use and help ensure prompt maintenance, an hour meter kit is the answer. No more guess work about when service is needed.

GENERATORS

08P57-Z11-200

08P57-Z22-300

GENERATOR COVERS

08361-340008G
EX2200, EG3500, EG5000

08P57-Z04-000
EM3000C

08P57-ZC2-100
EB3500XK1, EB5000XK1

08P34-ZC2-000
EM3500X, EM3500SX/K1, EM5000X/XK1, EZ3500, EZ5000 Old Style

08P57-ZA0-A80
EB11000 (w/out wheel kit installed)

08P57-YZA-000
EB11000 (with wheel kit installed) (new)

08P57-ZA0-B80
ES6500

08P57-ZC6-C80
EX12D

08P57-Z22-300
EM3800SX, EM5000SXK2, EM6500SXK1, EB3800XC, EB5000XK2, EB6500X (New)

08P57-Z11-200
EM5000is, EB5000i, EM7000is, EB7000i (i-Pro Series)

SUPPORTING A BETTER ENVIRONMENT...

As an innovator in engine technology, Honda takes its responsibility to the environment seriously. Honda Lawnmowers are powered by fuel-efficient 4-stroke engines that don't mix oil and gas, run with low emissions and are exceptionally quiet. At Honda, we're always thinking of better ways to get the job done in harmony with the world we live in.

LAWNMOWERS

Honda Lawnmowers have what it takes to keep Canadian lawns trim and manicured. Our line up includes models designed to be compact and manoeuvrable for small urban lots as well as mowers built big and extra-tough for the daily rigours of the commercial market. They all come with legendary Honda engineering.

Genuine Honda accessories that are available for Honda Lawnmowers include: mulching kits, side discharge chutes, deck guard kits and leaf shredders to name a few. From residential to commercial applications, we have the accessories you need to take care of all your lawncare needs.

CRUISE CONTROL

WALK-BEHIND LAWN MOWER MULCHING KIT & REPLACEMENT PARTS

These mulching kits convert a side discharge or rear-bagging unit to a mulching mower. An engineered low-lift blade cuts the grass and then cuts it again and again to produce fine mulch. Heavy-duty plugs, block-off plates, blades and all hardware (as required) are included.

06762-VB5-D00

Model	Description/Notes	P/N	Kit Contents	P/N
HR194PXC	Replace original blade with a new 19" mulching blade; install mulching plug	06764-VA5-850	Mulching Blade Mulching Plug	72511-VB4-700 N/A
HR194SXC HR195PDC HR195SXC	Replace original blade with a new 19" mulching blade; install mulching plug	06764-VA5-810	Mulching Blade Mulching Plug	72511-VB4-700 N/A
HR21 HR21-5	Use original blade; install new	76266-952-000	Mulching Plug mulching plug	76266-952-000
HRA214 HRA215 HRA216 HRC215PXC HRC215SXC HRC216SXC HRC216HXC	STEEL DECKS For twin-blade mulching; uses original blade and new upper blade. Install blade spacer, new bolts, washers and mulching plug For listed models only, do NOT install on HRC215SDA or HRC215PDA; doing so will cause rapid flywheel brake wear.	Upper Blade	Mulching Plug Blade Spacer 10X25 bolts (2) 10mm s.washer (2)	72531-VA3-S00 N/A 72532-VA3-810 90105-VA3-J01 90481-430-000
HR21K2, HR21-5 HR214, HRA214 HR215, HR215K1 HRA215, HRA216 HR216, HRC216	Upper blade kit only. For mowers that already contain a mulching plug. This kit is exactly the same as the steel and aluminum deck kits, except without the mulching plug. (NOT for use with the HRC215SDA/PDA)	06725-VA3-810	Blade Spacer Upper Mulch Blade 10x25mm bolts (2) 10mm s.washer (2)	72532-VA3-810 72531-VA3-S00 90105-VA3-J01 90481-430-000
HR214 HR215 HR216 HR215K1	ALUMINUM DECKS For twin-blade mulching; uses original blade and new upper blade. Install blade spacer, new bolts, washers and mulching plug	06762-VA3-S00	Upper Blade Mulching Plug Blade Spacer 10X25 bolts (2) 10mm s.washer (2)	72531-VA3-S00 76266-VJ9-000 72532-VA3-810 90105-VA3-J01 90481-430-000
HRB215	Complete low-lift mulching kit; includes two new blades. Replace single high-lift blade with two new blades, install mulching plug	06764-VE2-810	Upper Blade Lower Blade Mulching Plug	72531-VE2-020 72511-VG4-K00 76266-VE2-000ZA
HRC215K1SDC HRC215K1PDC	Complete kit for single blade mulching; replace original blade with the new low-lift mulching blade, install plug	06762-VB5-D00	Mulching Blade Mulching Plug	72511-VA4-641 76266-VB5-D00

81390-VG4-000

LEAF SHREDDER

Use this special shredder to chop up leaves. This helps to better pack the grass bag, so it won't have to be emptied as often.

81510-VE2-000 HRB215, HRM215*, HRB216, HRB217

81560-VA3-S00 HR214, HR215, HR216

81390-VG4-000 HRR216*, HRZ216, HRT216

***HRM215 and HRR216K0 models must have the optional grass bag installed (page 2-5). (HRR216K1 and later includes a bag)**

06531-VA3-010

HANDLE SUPPORT

For severe conditions, install this kit for added support. These supports are standard equipment on Honda Commercial Mowers.

06531-VA3-010 HR214, HR215, HR216

06531-VA4-020 HRA214, HRA215

76116-VA5-640

DECK GUARD KITS

Honda mower decks are built tough, but you can add these all-steel guards to protect the sides of the deck from wear. These guards are standard equipment on walk-behind commercial lawn mowers.

76116-VA5-640 HR195 (left side only)

76115-VA5-640 HR195 (right side only)

06761-VA3-690 HR215/K1 (includes 2 guards)

76115-VB5-800 HRA215 (includes 1 guard; 2 required)

06761-VE2-000 HRB/HRM215, HRB216, HRB217
(includes two stainless steel guards)

06761-VH7-000AH HRX217 (includes 2 stainless steel guards)

06180-ZE6-820

SPARK ARRESTER KITS

06180-ZE6-820 HR194 HR195

06180-888-505 HR21 HR21K1 HR21K2 HRA21

06180-ZE6-820 HR214, HRA214, HR215, HRA215, HRC215, HR216, HRA216, HRC216, HRB215, HRM215, HRM195

HRS/HRM21
18331-ZE5-810 Cap, muffler
18356-ZE5-800 Gasket HRS/HRM21

HRS/HRR/HRT/HRZ216, HRB216/217
18350-ZL8-000 Arrester, spark
18356-ZL8-000 Plate
90055-ZE1-000 Screw, tapping (4x6 mm)

07JPJ-750010A

BLADE HEIGHT GAUGE

07JPJ-750010A

Use this special tool to easily inspect and verify blade condition and position. This gauge can be used on any rotary lawn mower.

06814-VE2-010

SIDE-DICHARGE CHUTE

81210-VA2-003 HRM21, HRS21

06814-VE2-010 HR194, HR195, HR214, HR215, HR216, HRA214, HRA215, HRA216, HRC215, HRC216, HRB215, HRM215, HRB216, HRB217

06814-VG4-010 HRR216, HRT216, HRZ216

Convert a rear-bag lawn mower to side-discharge. This is a simple, 90-degree elbow (except HRM/HRS21) that slips onto the rear of the unit and is held in place by the rear guard. The chute is made of tough polyethylene.

HARMONY BLADE APPLICATION GUIDE

Factory equipped blade part numbers are underlined.

Mowing Performance	HRM215	HRB215	HRB216/217	HRS216	HRR/HRT/ HRZ216
Good mulching performance **Good** bagging and side discharge performance	N/A	N/A	N/A	72511-VG3-000 No blade changes required. Blade is installed at the factory. Blade is a low-lift type.	N/A
Best mulching performance **Good** bagging and side discharge performance	Upper: 72531-VE2-020 Lower: 72511-VG4-K00 No blade changes required. Both blades are installed at the factory. Lower blade is a low-lift type.	Upper: 72531-VE2-020 Lower: 72511-VG4-K00 Replace original high-lift blade with two new blades shown. Lower blade is a low-lift type.	Upper: 72531-VE2-020 Lower: 72511-VG4-K00 No change required for top blade. Replace the original lower blade with the low-lift type. Lower blade is a low-lift type.	Upper: 72531-VE2-020 Lower: 72511-VG4-K00 Replace original blades with upper and lower blades shown. Lower blade is a low-lift type.	Upper: 72531-VE2-020 Lower: 72511-VG4-K00 No blade changes required. Both blades are installed at the factory.
Best bagging and side discharge performance **Good** mulching performance Also should be used in mulching conditions where uncut grass is observed.	Upper: 72531-VE2-020 Lower: 72511-VE1-020 Upper blade is installed at the factory. Replace the original lower blade with the high-lift type.	Upper: 72531-VE2-020 Lower: 72511-VE1-020 Add the upper blade. The lower blade is installed at the factory. Lower blade is a high-lift type.	Upper: 72531-VE2-020 Lower: 72511-VE1-020 No changes required. Both blades are installed at the factory. Lower blade is a high-lift type.	Upper: 72531-VE2-020 Lower: 72511-VE1-020 Replace original blade with two new blades shown. Lower blade is a high-lift type.	Upper: 72531-VE2-020 Lower: 72511-VE1-020 Upper blade is installed at the factory. Replace lower blade with high-lift type shown.
Best bagging and side discharge performance Not recommended for mulching	72511-VE1-020 Replace the original blades with the single blade shown. Blade is a high-lift type.	72511-VE1-020 No changes required. Blade is installed at the factory. Blade is a high-lift type.	72511-VE1-020 Remove original top blade. No new blades are required. Blade is high-lift type.	72511-VE1-020 Replace the original blade with the single blade shown. Blade is a high-lift type.	72511-VE1-020 Replace the original blades with the single blade shown. Blade is a high-lift type.

Notes:

- Blade recommendations and mowing performance are general guidelines valid for most grass types and conditions.
- Always refer to the Owner's Manual for mowing recommendations.
- The standard HRS216 blade (72511-VG3-000) should never be installed on another model due to ANSI requirements.

REPLACEMENT TRANSMISSION ASSEMBLIES

Here's an easy way to overhaul a transmission: just order one part number and get a complete unit.

Model	Part Number
HR194SXC	20001-VA5-801
HR195SXC	20001-VA5-J02
HR214SXC/SMC	20001-VA3-801
HR215SXC/SMC	20001-VA3-J04
HR215HXC/HMC	20001-VD6-305
HR216SXC	20001-VB3-801
HRA214SXC	20001-VA4-801
HRA215SXC	20001-VA4-J02
HRA216, HRC216SXC, HRC215SDC, HRC215SXC	20001-VB5-800
HRC216HXC	20001-VD6-306
HRM215SXC, HRM215K1SXC, HRM215K1SDC	06200-VE2-802
HRB215SXC ,HRB215K1SXC, HRB215K1SDC	06200-VE2-802
HRM/HRB215HXC, HRB216HXC, HRB217HXC	20011-VE5-711
HRM215K2SXC, HRM215K2SD, HRB215K2SXC/SDC	06200-VF0-000
HRM215K3SDC/SXC, HRB215K3SDC/SXC	06200-VE2-M00
HRM215K4SDC/SXC, HRB215K4SDC/SXC	20001-VE1-T02
HRB216TXC/TDC, HRB217TDC	20001-VG4-H02
HRR216SDC, HRS216SDC, HRT216SDC (1-speed)	20001-VG3-B03
HRR216S3DC, HRT216S3DC (3-speed)	06200-VG4-D00
HRS216K1SDC, HRS216K2SDC	20001-VG3-D02
HRR/HRT216K1SDC, HRR216K2SDC (1-speed)	20001-VG4-C02
HRR/HRT216K1S3DC/TDC, HRT216K2TDC, HRZ216TDC (3-speed)	20001-VG4-H02



06200-VE2-802

06813-VG3-020

GRASS BAG KITS

When you want the cleanest possible finish, you just can't beat a grass bag kit. Clippings are blown into the ventilated bags for easy handling and disposal. All bags are easy to empty and install. There are complete kits for some models. For other models, you must order the individual parts.

06813-VE2-T01 Harmony HRM/HRB215K4, HRB216/217 (complete kit w/frame)

06813-VG4-010 HRR216, HRZ216, HRT216 (complete grass bag kit w/frame, limited quantities)

06813-VG3-020 HRS216 (grass bag kit assy. w/blades - includes high lift lower blade and upper mulch blade & frame)

06811-VB4-700 HRM195 (grass bag kit (hard bag) NOTE: Limited Qty.)

HRS21, HRM21 Grass Bag Parts

Description Qty.	Required	Part Number
nut, flange 8 mm	1	94050-08000
bolt, flange 6 x 14 mm	2	90014-952-000
label, discharge guard	1	87107-VA4-000
adapter, grass bag	1	81110-VA2-800
band, 700 mm	1	81152-VA2-801
hook, comp grass bag	1	81153-VA2-800
frame, bag	1	81155-VA2-801
guard, bag	1	81171-VA2-800
caution B, housing	1	87103-952-010
fabric grass bag	1	81157-VA2-505
mark C, housing	1	87104-VA2-000

HR21, HR21K1 HR21K2, HR21-5 Grass Bag Parts

Description Qty.	Required	Part Number
nut, cap 6 mm	4	94021-06020
washer, plain 6 mm	3	94101-06700
hook, bag set	1	81153-952-000
grip, grass bag	1	81154-952-000
handle, grass bag	1	81155-952-000
frame B, bag	1	81159-952-000
lever, bag lock	1	81161-952-000
spring, lever return	1	81162-952-000
nut, hook hold	1	81165-952-000
frame A, bag	1	81158-960-000
bolt, hex, 6 x 8 mm	1	92101-06008-0A
bolt, hex, 6 x 12 mm	3	92101-06012-0A
fabric grass bag	1	P2750-485-91469
plate, bag hinge	1	81152-960-000
bar, grass bag	1	81156-960-000

HR194, HR195 Grass Bag Parts

Description Qty.	Required	Part Number
bag, fabric	1	81320-VA5-J00
frame, comp	1	81340-VA5-J00
catcher, upper	1	81371-VA5-J00
grip	1	81377-VA3-J00
joint	1	81341-VA5-J00
push nut, 8 mm	2	90301-VA3-J01

HRA214,215,216, HRC215K1 Grass Bag Parts

Description Qty.	Required	Part Number
bag, fabric	1	81320-VB5-C00
frame, comp (without door)	1	81158-VA4-K10

SUPPORTING A BETTER ENVIRONMENT...

As an innovator in engine technology, Honda takes its responsibility to the environment seriously. Honda Trimmers are powered by fuel-efficient 4-stroke engines that don't mix oil and gas, run with low emissions and are exceptionally quiet. At Honda, we're always thinking of better ways to get the job done in harmony with the world we live in.

TRIMMERS

Nobody knows what to look for in a Trimmer better than Honda. When you work with your equipment day in, day out, all season long, you know the kind of features that make a machine you can count on. And those are the features designed into every Honda Trimmer. Like all Honda products, they're dependable, durable, and powerful.

The Honda Mini 4-strokes have a much broader torque curve than equivalent 2-stroke engines. This allows operation at lower rpm for a softer exhaust note, superb fuel efficiency and less vibration.

As well, Honda accessories are available to compliment our Trimmers. Various sizes of trimmer heads, trimmer line and barrier kits are available for your intended applications.

HONDA
COMMERCIAL
MOWERS

BARRIER KITS AND BLADES

Unit	Metal Blades (1-inch arbor)	Part Number	Requires Barrier Kit
UMK422	3 tooth, 9" grass/weed blade	72511-VF9-A02	06631-VF9-C10
	4 tooth, 9" grass/weed blade	72511-VF9-A00AH	(for 9" blades)
	8 tooth, 9" weed/brush blade	72511-VF9-003	
	24tooth, 9" weed/brush blade	72511-VF9-E00AH	
UMK431	3 tooth, 10" grass/weed blade	72511-VF9-B02	06631-VF9-D10
	4 tooth, 10" grass/weed blade	72511-VF9-B00AH	(for 9"/10" blades)
	8 tooth, 10" weed/brush blade	72511-VF9-D00AH	
	80 tooth brush/wood blade	72511-VF9-D61	
HHT31	3 tooth, 10" grass/weed blade	72511-VF9-B02	06631-VH8-740
	4 tooth, 10" grass/weed blade	72511-VF9-B00AH	(for 9"/10" blades)
	8 tooth, 10" weed/brush blade	72511-VF9-D00AH	HHT25 requires 9 inch
	80 tooth brush/wood blade	72511-VF9-D61	blade.
HHT25	3 tooth, 9" grass/weed blade	72511-VF9-A02	06631-VH8-740
	4 tooth, 9" grass/weed blade	72511-VF9-A00AH	(for 9"/10" blades)
	8 tooth, 9" weed/brush blade	72511-VF9-C00AH	HHT25 requires 9 inch
	24tooth, 9" weed/brush blade	72511-VF9-E00AH	blade.

NOTE: A barrier kit must be installed when using a metal blade - (except UMK431UBC and HHT31SUBC).

06631-VF9-C10

A barrier kit includes two shields, one for 4/6/8 tooth blades, and the other for saw (30-80) tooth blades. This kit comes with the harness, barrier and all the hardware.

TRIMMERS

SEMI-MATIC TRIMMER HEAD

72560-VH8-642AH

NOTE: Standard on HHT25/31SLTC models

MANUAL TRIMMER HEAD

72560-VF9-C12

NOTE: Standard on UMK422LNC, UMK431LNC/UNBC and HHT31SUNBC models

SEMI-PRO TRIMMER HEAD

72560-VF9-C41

NOTE: standard on UMK422/431LTC models

PRO-TAP TRIMMER HEAD

72560-VF9-C33AH



MANUAL TRIMMER HEAD

NO.	QTY.	Description	PN
1	1	Drive bolt	72561-VF9-C11
2	2	Eyelet	72562-VF9-C11
3	1	Housing	72566-VF9-C12
4	1	Spool	72563-VF9-C11
5	1	Tension spring	72564-VF9-C11
6	1	Tension knob	72565-VF9-C11



SEMI-MATIC TRIMMER HEAD

NO.	QTY.	Description	PN
1	1	Drive bolt	72561-VF9-C11
2	1	Housing	72562-VF9-C30AH
3	1	Spring	72563-VF9-C30AH
4	1	Washer	72564-VF9-C30AH
5	1	Outer drive	72565-VF9-C30AH
6	1	Inner cam	72566-VF9-C30AH
7	1	Spool only	72567-VF9-C30AH



SEMI-PRO TRIMMER HEAD

NO.	QTY.	Description	PN
1	1	Drive bolt	72561-VF9-C41
2	1	Housing	72562-VF9-C41
3	2	Eyelet	72562-VF9-C11
4	1	Spring	72564-VF9-C41
5	1	Spool only	72563-VF9-C41
6	1	Button	72565-VF9-C41
7	1	Cover	72566-VF9-c41



PRO-TAP TRIMMER HEAD

NO.	QTY.	Description	PN
1	1	Drive bolt	72561-VF9-C33AH
2	1	Housing	72562-VF9-C33AH
3	2	Eyelet	72562-VF9-C12
4	1	Spring	72563-VF9-C33AH
5	1	Spool only	72564-VF9-C33AH
6	1	Cover	72566-VF9-C33AH

TRIMMERS

72511-095-0285A

72511-095-0285B

TRIMMER LINE

Size	Color	P/N	Pack Type	Length	WT
.080	Bright Orange	72511-080-0200A	Card	200	8 oz.
.080	Grass Green	72511-080-0200B	Card	200	8 oz.
.080	Bright Orange	72511-080-0400A	Doughnut	400	1lb.
.080	Grass Green	72511-080-0400B	Doughnut	400	1lb.
.095	Bright Orange	72511-095-0285A	Doughnut	285	1lb.
.095	Grass Green	72511-095-0285B	Doughnut	285	1lb.
New! .095	Clear - Quiet	72512-095-0285Q	Doughnut	285	1lb.
.105	Bright Orange	72511-105-0235A	Doughnut	235	1lb.
.105	Grass Green	72511-105-0235B	Doughnut	235	1lb.
.130	Bright Orange	72511-130-0150A	Doughnut	150	1lb.
.130	Grass Green	72511-130-0150B	Doughnut	150	1lb.
.155	Bright Orange	72511-155-0107A	Doughnut	107	1lb.
.155	Grass Green	72511-155-0107B	Doughnut	107	1lb.
.080	Bright Orange	72521-080-1200A	Spool	1200	3 lb.
.080	Grass Green	72521-080-1200B	Spool	1200	3 lb.
.095	Bright Orange	72521-095-0855A	Spool	855	3 lb.
.095	Grass Green	72521-095-0855B	Spool	855	3 lb.
New! .095	Clear - Quiet	72512-095-0855Q	Spool	855	3 lb.
.105	Bright Orange	72521-105-0705A	Spool	705	3 lb.
.105	Grass Green	72521-105-0705B	Spool	705	3 lb.
.130	Bright Orange	72521-130-0450A	Spool	450	3 lb.
.130	Grass Green	72521-130-0450B	Spool	450	3 lb.
.155	Bright Orange	72521-155-0321A	Spool	321	3 lb.
.155	Grass Green	72521-155-0321B	Spool	321	3 lb.
.095	Bright Orange	72521-095-1425A	Lg. Spool	1425	5 lb.
.095	Grass Green	72521-095-1425B	Lg. Spool	1425	5 lb.
.105	Bright Orange	72521-105-1175A	Lg. Spool	1175	5 lb.
.105	Grass Green	72521-105-1175B	Lg. Spool	1175	5 lb.
.130	Bright Orange	72521-130-0750A	Spool	750	5 lb.
.130	Grass Green	72521-130-0750B	Spool	750	5 lb.
.155	Bright Orange	72521-155-0535A	Spool	535	5 lb.
.155	Grass Green	72521-155-0535B	Spool	535	5 lb.

SUPPORTING A BETTER ENVIRONMENT...

As an innovator in engine technology, Honda takes its responsibility to the environment seriously. Honda Tillers are powered by fuel-efficient 4-stroke engines that don't mix oil and gas, run with low emissions and are exceptionally quiet. At Honda, we're always thinking of better ways to get the job done in harmony with the world we live in.

TILLERS

For versatility and performance, you can't beat Honda Tillers. Our line up of Tillers are powerful without being noisy, overweight and cumbersome. From the smallest urban garden to a large rural plot, Honda Tillers are suitable for any tilling requirement. You'll see the difference the first time you try one.

Honda also offers a wide range of Tiller attachments and accessories. Certain models may require that you need wheel weights to get through hard or compacted soil or different blade styles like our de-thatcher kit or our edging blade kit. The choice is yours...

HONDA

DIGGING TINES

06726-V25-000

BORDER/EDGER

06728-V25-000

AERATOR

06727-V25-000

DE-THATCHER

06729-V25-000

FG100/FG110 TILLER ACCESSORIES

Accessory	part number
Aerator Kit (FG100)	06727-V06-003
De-thatcher Kit (FG100)	06729-V06-003
Border/Edger Kit (FG100)	06728-V06-003
Digging Tines Kit (FG100)	06726-V06-003
Aerator Kit (NEW FG110)	06727-V25-000
De-thatcher Kit (NEW FG110)	06729-V25-000
Border/Edger Kit (NEW FG110)	06728-V25-000
Digging Tines Kit (NEW FG110)	06726-V25-000

FG100 & FG110 TILLER ACCESSORY REPLACEMENT PARTS

	FG110	
Description/ Required Qty.	**Part number**	**Accessory Item**
Tine, digging (A)	72463-V25-010	Digging Tines
Tine, digging (B)	72463-V25-010	Digging Tines
Tine, Aerator	72580-V25-000	Aerator
Wheel, edger	42810-V25-000	Edger
Tine, edger	72680-V25-000	Edger
Fender, De-thatcher	65144-V06-003	De-Thatcher
Strap, fender	65154-V06-003	De-Thatcher
De-thatcher, R.	72780-V25-003	De-Thatcher
De-thatcher, L.	72790-V25-003	De-Thatcher
	FG100	
Description/ Required Qty.	**Part number**	**Accessory Item**
spacer 1" tine - 1 req.	42312-V06-003	Edger
spacer, 1 1/4" tine - 2 req.	42315-V06-003	De-Thatcher
spacer ½	42314-V06-003	De-Thatcher
wheel comp - 1 req.	42810-V06-003	Edger
comp, digging tine - 4 req.	72463-V06-003	Digging Tines
comp, aerator tine - 4 req.	72580-V06-003	Aerator
comp, edger tine - 1 req.	72680-V06-003	Edger
plate Inner drive - 2 req.	72781-V06-003	De-Thatcher
plate outer - 2 req.	72782-V06-003	De-Thatcher
Spring torsion - 72 req.	72783-V06-003	De-Thatcher
bolt 5/16" - 24 req.	90109-V06-003	De-Thatcher
bolt 3/8" wheel - 2 req.	90111 -V06-003	De-Thatcher
nut 3/8" - 2 req.	90304-V06-003	De-Thatcher
washer ½ X 7/8 - 102 req.	90509-V06-003	De-Thatcher
washer 3/8" lock - 2 req.	90511-V06-003	De-Thatcher

TILLERS

59101-723-650

WHEEL WEIGHT PARTS

When you need extra traction, get extra weight. Wheel weights are especially useful when the soil is hard or compacted.

FR500, FR600

Description	QTY.	Part Number
10 mm flange nut	4	**94050-10000**
lock washer	4	**59201-701-000**
10 x 65 mm flange blot	4	**95701-10065-00**
wheel weight A (10 kg.)	2	**59101-723-650**

PICK TINE ROTOR

Use this rotor to aerate soil with an F200 or F210 tiller. This rotor provides 9.5mm holes every 14cm

72610-729-810 *(F200, F210)*

SIDE DISK KIT (F220C TILLER)

Enhance tilling operations with the new F220 Side Disk Kit.

06720-V14-620 *(F220C)*

REPLACEMENT TINE KIT

Ease and increase speed with this kit. It has everything you need to replace the tines on the F200 or F210 tiller.

06721-729-305ZA *(F200, F210)*

72461-723-700

72465-723-700

TINE EXTENSION PARTS

Extend the reach of a rear tine tiller with these 4.6" tine extension parts. These tines are the same design and quality as the original tines.

FR500, FR700

Part Description	Required Qty.	Part Number
6 mm flange nut	20	94050-06080
ext. rotor cover	2	76115-723-750
ext. l/f mudguard	1	76116-723-750
ext. r/f mudguard	1	76117-723-750
6 x 10 mm flange bolt	20	95701-06010-00
rotary tine A	4	72461-723-700
rotary tine B	4	72465-723-700

***FR600, FR800**

Part Description	Required Qty.	Part Number
10 mm flange nut	8	94050-10000
10 mm lock nut	2	90303-692-003
10 x 50 mm flange bolt	2	95801-10050-08
right shaft	1	72130-770-700ZA
left shaft	1	72230-770-700ZA
right tine	2	72451-770-013ZA
left tine	2	72455-770-013ZA
10 x 22 mm special bolt	8	90101-770-003
6 mm flange nut	12	94050-06080
ext. rotor cover	2	76115-723-750
6 x 10 mm flange bolt	12	95701-06010-08
right ext mudguard	1	76563-770-700ZB
left ext mudguard	1	76564-770-700ZA

*Will not fit FR600 Serial# 2001242 and higher & FR800 Serial# 2102376 and higher.

76564-770-700ZA

76563-770-700ZB

06724-770-870

FURROW KITS

Tiller Model Furrower	Size	Part Number
F200, F210, F220	7-3/4"	72710-729-810
	11"	72700-729-811
F400, F401, F500, F501, FC600	8"	06725-770-870
* FR500/600/700, FR800/FRC800	10" (Includes removable wings)	06724-770-870
* FR650, FR750	10" (w/wings)	06724-777-820
FG400, FG500	8"	06724-V08-000

* Hiller/Furrower kit (removable wings)

SUPPORTING A BETTER ENVIRONMENT...

As an innovator in engine technology, Honda takes its responsibility to the environment seriously. Honda Snowblowers are powered by fuel-efficient 4-stroke engines that don't mix oil and gas, run with low emissions and are exceptionally quiet. At Honda, we're always thinking of better ways to get the job done in harmony with the world we live in.

SNOWBLOWERS

Since 1981, we've been making Snowblowers powered by Honda engines - known the world over for their superior design, reliability and unsurpassed quality construction.

Honda Snowblowers are easy to use, start reliably in cold weather, and provide proven power for clearing even the heaviest snow.

Honda Snowblower accessories are available for certain models at authorized Honda dealers and include snowblower covers, drift breaker kits, worklights and tire chains.

HONDA
HS622

WORKLIGHT KIT

Don't let a low-light environment keep you or your snowblower from working. This kit features a halogen bulb (replacement bulbs available) and includes all hardware and instructions.

Part Number	Snowblower Model
06350-767-100AH	HS624, HS724 (Standard 2007 HS724)
06600-743-800	HS622TC
06350-768-000AH	HS928

06350-768-000AH

COMMERCIAL-GRADE SKID SHOE KIT

For demanding use and rugged surfaces, these upgraded side-mount skid shoes are more durable and longer-lasting than the originals. Includes all hardware. For the HS624/HS724, HS828/HS928 and HS1132.

04700-768-E100

DRIFT BREAKER KIT

For heavy snow applications.

06760-768-000AH (All Models except HS35/HS521/HS621)

SCRAPER BAR KIT (FOR THE HS35)

Scraper bars scrape, and that means they wear out at some time. Here's everything you need to replace the worn out scraper bar on an HS35 snowblower.

06761-730-000 (HS35)

72521-730-003

72552-730-003

AUGER RUBBER PARTS

For easier servicing, here's a complete auger rubber parts list. The auger rubber should be replaced as needed for maximum traction.

HS35		
Part Description	**Required Qty.**	**Part Number**
auger rubber	4	72521-730-003
rubber	4	72552-730-003
HS520C/CS, HS521		
Part Description	**Required Qty.**	**Part Number**
auger rubber kit	1	06720-V10-030
auger rubber A	2	72521-747-000
auger rubber, right	2	72522-747-000
auger rubber, left	2	72523-747-000
HS521K1, HS621		
Part Description	**Required Qty.**	**Part Number**
auger rubber, right	2	72522-747-000
auger rubber, left	2	72523-747-000
blower rubber	2	72521-747-A10

TIRE CHAINS

For extra traction in heavy snow

Part Number	Part Description
CB66403	Tire Chains 14.5 x 4.5-6 (HS928WC)



06520-768-000AH

06928-768-020AH

SNOWBLOWER COVERS

Protect your investment with a Honda Snowblower Cover. Covers are custom fitted for specific models and made of a waterproof, breathable, urethane coated polyester fabric.

Part Number	Snowblower Model
06520-768-000AH	HS520
06724-768-010AH	HS724
06928-768-020AH	HS928, HS1132

SUPPORTING A BETTER ENVIRONMENT...

As an innovator in engine technology, Honda takes its responsibility to the environment seriously. Honda Water Pumps are powered by fuel-efficient 4-stroke engines that don't mix oil and gas, run with low missions and are exceptionally quiet.

At Honda, we're always thinking of better ways to get the job done in harmony with the world we live in.

WATER PUMPS

No two jobs are the same, so Honda builds a full line of Water Pumps to assist you with everything from garden irrigation and pool maintenance to heavy-duty drainage work on the job site. Durable construction, high-power engines, light weight for easy portability - it all adds up to pumping performance. Whether it is a transfer, trash or high-pressure pump, Honda has a Water Pump to meet your needs.

Honda's Water Pumps also have a wide range of accessories available for use including multiple types and lengths of hoses, strainers and rings as well as various clamp sets and coupling parts. Give your Water Pump the accessories it needs to get the job done.

24
HONDA
CRF
HONDA
HONDA

HONDA
4

WATER PUMPS

MALE JOINT

78326-954-000

Use this special joint to connect a 2" female metal strainer to a hose. Requires a 2" clamp set.

1" NPT - ¾" GARDEN HOSE ADAPTER

78311-YE9-000AH

WX10 garden hose adapter

1.5" NOZZLE KIT

CB66281

For pumps: WB15, WH15X, WH1XK1, WX15

CENTRE PUNCH CLAMP TOOL AND CLAMPS

Clamps and clamp sets are used to connect male joints and other coupling assemblies to a hose.

**Centre punch is required for installation of band clamps*

Item	included in kit	part number
Clamp Tool Clamp Tool	(Fits Hose 1"- 3")	CB67048
1.5" Band Clamp	Use for 1" hose	CB67049
2" Band Clamp	Use for 1.5" hose	CB67065
2.5" Band Clamp	Use for 2" hose	CB67050
3.5" Band Clamp	Use for 3" hose	CB67051

ALUM. MALE HOSE SHANK

CB67037

ALUM. FEMALE HOSE SHANK

CB67034

ALUM. CAMLOCK MALE ADAPTER

CB67031

NPT COMBINATION NIPPLE

CB67066

CAMLOCK GASKETS

CB67040

CAMLOCK ARM KIT

CB67057

CAMLOCK PARTS

Item	size / part	part number
Alum. Camlock Male Adapter	1" Camlock Part A	CB67030
	1.5" Camlock Part A	CB67061
	2" Camlock Part A	CB67031
	3" Camlock Part A	CB67032
Alum. Female Hose Shank	1" Camlock Part C	CB67033
	1.5" Camlock Part C	CB67062
	2" Camlock Part C	CB67034
	3" Camlock Part C	CB67035
Alum. Male Hose Shank	1" Camlock Part E	CB67036
	1.5" Camlock Part E	CB67063
	2" Camlock Part E	CB67037
	3" Camlock Part E	CB67038
NPT Combination Nipple	1.5" NPT Nipple	CB67064
	2" NPT Nipple	CB67066
	3" NPT Nipple	CB67067
Camlock Gaskets	1" Camlock Gasket	CB67039
	1.5" Camlock Gasket	CB67060
	2" Camlock Gasket	CB67040
	3" Camlock Gasket	CB67041
Camlock Arm Kit	1" Camlock arm kit*	CB67056
	**Camlock arm,ring,pin (NOTE: use CB67057 for 1.5" and 2" couplings)*	
	1.5" Camlock arm kit	CB67057
	2" Camlock arm kit	CB67057
	3" Camlock arm kit	CB67058

WATER PUMPS

1" CAMLOCK HOSE KIT - PART # CB67022

Item	quantity
1"x10' Clear Suction Hose	1
1"x50' Blue Discharge Hose	1
1" Aluminium Part A Camlock	2
1" Aluminium Part C Camlock	2
1" Aluminium Part E Camlock	1
1.5" Preform Galvanized Clamp	6

1.5" CAMLOCK HOSE KIT - PART # CB67025

Item	quantity
1.5"x20' Clear Suction Hose	1
1.5"x50' Blue Discharge Hose	1
1.5" Alum Part A Camlock	2
1.5" Alum Part C Camlock	2
1.5" Alum Part E Camlock	1
1.5" NPT Combination Nipple	1
1.5" Round Hole Strainer	1
2" Preform Galvanized Clamp	8

2" CAMLOCK HOSE KIT - PART # CB67023

Item	quantity
2"x20' Clear Suction Hose	1
2"x50' Blue Discharge Hose	1
2" Aluminium Part A Camlock	2
2" Aluminium Part C Camlock	2
2" Aluminium Part E Camlock	1
2" NPT Combination Nipple	1
2" Round Hole Strainer	1
2.5" Preform Galvanized Clamp	8

3" CAMLOCK HOSE KIT - PART # CB67024

Item	quantity
3"x20' Clear Suction Hose	1
3"x50' Blue Discharge Hose	1
3" Aluminium Part A Camlock	2
3" Aluminium Part C Camlock	2
3" Aluminium Part E Camlock	1
3" NPT Combination Nipple	1
3" Round Hole Strainer	1
3.5" Preform Galvanized Clamp	8

2" PIN LUG HOSE KIT - PART # CB67026

Item	quantity
2"x20' Clear Suction Hose	1
2"x50' Blue Discharge Hose	1
2" Set M/F Pin Lug Couplings	2
2" Round Hole Strainer	1
Preform Galvanized Clamp	8

3" PIN LUG HOSE KIT - PART # CB67027

Item	quantity
3"x20' Clear Suction Hose	1
3"x50' Blue Discharge Hose	1
3" Set M/F Pin Lug Couplings	2
3" Round Hole Strainer	1
3.5" Preform Galvanized Clamp	8

SUCTION HOSE WITH COUPLINGS

Item	included in kit	part number
1"x10' Suction Hose		CB66900
1.5"x20" Suction Hose		CB66272
2"x20' Suction Hose	Hose + Camlocks	CB66273
3"x20' Suction Hose		CB66274
4"x20 Suction Hose		CB66572

DISCHARGE HOSE WITH COUPLINGS

Item	included in kit	part number
1"x25' Discharge Hose		CB66901
1.5"x50' Discharge Hose		CB66278
2"x50' Discharge Hose	Hose + Camlocks	CB66279
3"x50' Discharge Hose		CB66280
4"x50' Discharge Hose		CB66571



BULK BLUE PVC LAYFLAT DISCHARGE HOSE

Item	included in kit	part number
1"x 300'	300' Roll	CB67053
1.5"x 300'	300' Roll	CB67059
2"x 300'	300' Roll	CB67054
3"x 300'	300' Roll	CB67055

WATER PUMPS

PIN LUG COUPLINGS

Item	included in kit	part number
2" Pinlug Coupling	Male and Female Couplings	CB67042
3" Pinlug Coupling	Male and Female Couplings	CB67043

CB67042

PIN LUG GASKET

Item	included in kit	part number
2" Pinlug Gasket	Pin Lug Gasket	CB67044
3" Pinlug GasketPin	Lug Gasket	CB67045

CB67044

PIN LUG WRENCH

Item	included in kit	part number
2" Pinlug Wrench	Pin Lug Wrench	CB67046
3" Pinlug Wrench	Pin Lug Wrench	CB67047

CB67046

STRAINERS

Item	included in kit	part number
1.5" Round Hole	Strainer (3/8" Hole)	CB66364
2" Round Hole	Strainer (3/8" Hole)	CB66365
3" Round Hole	Strainer (3/8" Hole)	CB66366

CB66365

WATER PUMP VACUUM TESTER

Item	included in kit	part number
Vacuum Tester	All components needed + Instructions	07APJ-YB3A100



STRAINERS

Make sure only the right stuff goes through your Honda pump. Honda offers plastic strainers for regular pumps and rugged metal strainers for trash pumps and diaphragm pumps.

model:	no.	material	style	size	notes	part number
WX10	19	plastic	nipple	1"		78325-YB0-711
WA15	11	metal	nipple	1.5"		78325-YB0-751
WA20K	8	metal	female	2"	PS- 2 (metric)	78325-954-000
WA20X	15	plastic	nipple	2"		78325-YB3-661
WA30	9	metal	nipple	3"		78325-YB4-020
WA30X	15	metal	nipple	3"		78325-YB4-662
WB15K2	7	plastic	nipple	1.5"		78325-YB7-020
WB20X	6	plastic	nipple	2"		78325-YB3-010
WB20X	15	plastic	nipple	2"		78325-YB3-661
WB20XK1	6	plastic	nipple	2"		78325-YB3-010
WB30X	5	plastic	nipple	3"		78325-YB4-662
WB30XK1	5	plastic	nipple	3"		78325-YB4-020
WD20X	6	plastic	nipple	2"		78325-YB3-010
WD20X	15	metal	nipple	2"		78325-YB3-661
WD30X	5	plastic	nipple	3"		78325-YB4-020
WD30X	15	metal	nipple	3"		78325-YB4-662
WH15X	7	plastic	nipple	1.5"		78325-YB4-662
WH15XK1	7	plastic	nipple	1.5"		78325-YB4-662
WH20X	16	plastic	nipple	2"		78325-YB7-702
WH20XK1	6	plastic	nipple	2"		78325-YB3-010
WP20X	17	plastic	nipple	2"		78325-YE5-003
WP20X	18	plastic	nipple	2.5"		78325-YE6-003
WP20X	6	plastic	nipple	2"		78325-YB3-010
WP30X	17	plastic	nipple	2"		78325-YE5-003
WP30X	18	plastic	nipple	2.5"		78325-YE6-003
WP30X	5	plastic	nipple	3"		78325-YB4-020
WD20XK1	6	plastic	nipple	2"		78325-YB3-010
WD30XK1	5	plastic	nipple	3"		78325-YB4-020
WT20	12	plastic	nipple	2"		78325-YB3-010
WT20	13	plastic	nipple	2"		78325-YB1-901
WT20	14	plastic	nipple	2"		78325-YB4-662
WT20XK2	2	metal	female	2"	WT (trash) pumps only	78325-YB8-003
WT20XK2	12	plastic	nipple	2"		78325-YB4-662
WT20XK2	13	plastic	nipple	2"		78325-YB1-901
WT20XK2	14	plastic	nipple	2"		78325-YB4-662
WT30	12	plastic	female	3"		78325-YB4-662
WT30	14	plastic	female	3"		78325-YB4-662
WT30XK2	4	metal	female	3"	WT (trash) pumps only	78325-YB9-003
WT40XK1	3	metal	female	4"	WT (trash) pumps only	78325-YD4-003

HONDA BATTERY CHARGER

31670-BMS-000

As simple as 1-2-3: Just connect the Honda Battery Charger to your battery and the 5-stage program does the rest automatically and safely. Delivered with two interchangeable connection sets: clamps for bench charging and a weatherproof snap cord with protection fuse and eyelet terminals for permanent attachment to the battery.

HONDA TESTMATE MINI

CB67076

- Ultra Compact – Fast, Professional!
- Fast, accurate & professional on-vehicle testing of 12VDC batteries & charging systems.
- Weak batteries and charging system anomalies are identified in seconds.
- Test without disassembly: Fast, Clean, Easy!

HONDA OILS & CHEMICALS

Honda builds its Power Equipment to the toughest engineering standards in the world, formulating its Oils & Chemicals to those same high standards and thereby maintaining your Power Equipment at peak performance.

You bought a Honda because of its quality, performance and reliability. Why not match the finest product you can own with the finest Oils & Chemicals on the market. Don't settle for an imitation when you can buy the original.

Genuine Honda Oils & Chemicals are available exclusively at your local Honda Dealer.



5W-30 ENGINE OIL

CB66982

- Provides protection from corrosion and reduces engine wear
- Fights formation of sludge and other engine deposits
- Excellent low temperature fluidity eases cold starting
- Superior resistance from high temperature thermal breakdown

SIZE: 1 Litre

10W-30 ENGINE OIL

CB67010

- Provides protection from corrosion and reduces engine wear
- Fights formation of sludge and other engine deposits
- Excellent low temperature fluidity eases cold starting
- Superior resistance from high temperature thermal breakdown

SIZE: 1 Litre



10W-40 ENGINE OIL

CB66947

- Provides protection from corrosion and reduces engine wear
- Fights formation of sludge and other engine deposits
- Excellent low temperature fluidity eases cold starting
- Superior resistance from high temperature thermal breakdown

SIZE: 1 Litre

ENGINE DEGREASER

CA66913

- Heavy-duty cleaner that cuts through tough oil and grease build up on exterior engine surfaces
- Can also be used on industrial equipment, lawn and garden equipment and marine equipment

SIZE: 380 g

FUEL STABILIZER

CA66926

- Prevents the formation of fuel gum and varnish throughout the entire fuel system
- Absorbs moisture to protect against fuel system corrosion
- Ensures quick start-ups after storage

SIZE: 500 ml

LITHIUM DIELECTRIC GREASE

08798-9001

White grease used to pack electrical connectors for moisture and corrosion protection

SIZE: 50 g

SAE 80W90 HYPOID GEAR OIL

CA66928

- Recommended for use in manual transmissions, steering gears and differentials where API GL-% lubricant is specified
- Contains extreme-pressure additives ensuring full gear protection.
- Offers excellent performance in applications calling for API GL-4 and GL-3 products.

SIZE: 1 Litre

HYDROSTATIC FLUID

CB66985

Designed specifically for Honda hydrostatic transmissions.
Provides maximum transfer of power and maximum efficiency.

SIZE: 1 Litre

20W-50 ENGINE OIL

CB66948

- Provides protection from corrosion and reduces engine wear
- Fights formation of sludge and other engine deposits
- Excellent low temperature fluidity eases cold starting
- Superior resistance from high temperature thermal breakdown

SIZE: 1 Litre

RUST PENETRANT

CA66914

- General purpose lubricant and penetrant
- Lubricates parts that are tight and binding, repels moisture from surfaces
- Penetrates and helps loosen rusted fasteners
- Leaves a thin lubricating film that protects against wear and corrosion

SIZE: 340 g

IGNITION MOISTURE SPRAY

CA66915

- Can be applied to wet components to repel moisture
- Safeguards against moisture build-up due to condensation
- Apply to ignition components including spark plug wires, distributor caps and ignition coils

SIZE: 175 g

WHITE LITHIUM GREASE

CA66920

- Special solvents allow for deep penetration
- Sets up quickly to a thick coating
- Protects against moisture and corrosion
- Use on metal hinges, pivots and sliding mechanisms

SIZE: 300 g

CARBURETOR CLEANER

CA66916

- For on- and off-vehicle carburetor repair
- Quickly penetrates and dissolves varnish, gum and carbon buildup
- Cleans jets, throttle valves and choke linkage
- 100% free of chlorinated solvents
- Oxygen sensor & catalytic converter safe
- Does not contain lead, silicone or phosphorus

SIZE: 385 g

NOTES